
Portable and Modular Buildings, Contract No. GSS13703-MODULAR


FLOOR PLANS – MODERN BUILDING SYSTEMS

C1 Classroom	<u>D42-5 Dorm</u>	O60-2 60ft office complex
C2 Classroom	<u>D42-6 Dorm</u>	O60-3 60ft office complex
C3 Classroom	<u>D42-7 Dorm</u>	O60-4 60ft office complex
<u>C4 Classroom</u>	<u>D24-8 Dorm</u>	O60-5 60ft office complex
<u>C5 -84-96x70</u>	<u>D42-9 Dorm</u>	<u>S64-1 -56x64-70</u>
CA-1 DSA-Class-24x40	NW-1 28x32-Classroom	S64-2 Classroom complex
CA-2 DSA-Class-24x40-WET	NW-2 28x64-Classroom	S64-3 Classroom complex
CA-3 HCD Class 28x40	NW-3 42x64-Classroom	S64-4 Classroom complex
CA-4 HCD Class-24x60-1	NW-4 28x64-Daycare	S64-5 Classroom complex
CA-4 HCD Class-24x60	NW-5 42x64-Daycare	S70-1 Classroom complex 56x70
<u>D42-1 Dorm</u>	O-1 office building 2 office w RR	S70-2 Classroom complex
<u>D42-2 Dorm</u>	O-2 office building 2 offices w RR	S70-3 Classroom complex
<u>D42-3 Dorm</u>	O-3 office building 4 offices w RR	S70-4 Classroom complex
<u>D42-4 Dorm</u>	O60-1 60ft office complex	S70-5 Classroom complex


MODULAR GENIUS FLOOR PLANS


Modular Genius Floor Plans_KPN Series C1 - C5 Drawings
Modular Genius Floor Plans_KPN Series D42-1 – D42-9 Drawings
Modular Genius Floor Plans_KPN Series O1 – O3 Drawings
Modular Genius Floor Plans_KPN Series O60-1 – O60-5 Drawings
Modular Genius Floor Plans KPN Series S64-1 – S64-5 Drawings
Modular Genius Floor Plans_KPN Series S70-1 – S70-5 Drawings








FLOOR PLAN

















<u>END</u> EXTERIOR ELEVATIONS



TELEPHONE: (503) 749-4949 FAX: (503) 749-4950
P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325
CHECK OUT OUR WEB PAGE: www.mbs-modular.com

© MODERN BUILDING SYSTEMS. INC. 2010

REUSE OF DOCUMENTS

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.

REV. BY: DATE: PER: SHEETS:

74' x 96' MOBILE CLASSROOM

CLASSROOM 96x78

MIDWEST

CEILING / ELECTRICAL PLAN

∑ |-

SYMBOL LEGEND

1' x 4' FLUORESCENT SURFACE MOUNT FIXTURE (2) TUBE 32W T8 W/ ELECT BALLAST

WALL MOUNTED LIGHT FIXTURE

PC = PHOTOCELL

WP = WEATHERPROOF

礟

EXIT/ EMERGENCY LIGHT COMBO w/ BATTERY BACK-UP & REMOTE HEADS

\$ SINGLE POLE SWITCH

DL = DAYLIGHT ZONE

OCC = OCCUPANCY SENSOR

\$ THREE-WAY SWITCH

DUPLEX RECEPTACLE AT 17" A.F.F. (U.N.O.)

GFI = GROUND FAULT INTERRUPTER

WP = IN USE WEATHERPROOF COVER

WR = WATER RESISTANCE RECEPTACLE

JUNCTION BOX

FIRE ALARM (RACEWAY ONLY)

♦ VISUAL ALARM (RACEWAY ONLY) +82" TO CENTERLINE

TOZ TO CENTERLINE


THERMOSTAT AT 48" A.F.F. TO TOP OF CONTROLS

♦ CLOCK RECEPTACLE (120V) +88"


□ DISCONNECT

CEILING MOUNTED EXHAUST FAN (110 CFM)

CEILING / ELECTRICAL PLAN



	REV. BY:	DATE:	PER:	SHEETS:	24' x 40' MODULAR CLASSROOM		
	-	-	-				
MODERN BUILDING SYSTEMS, INC. TELEPHONE: (503) 749-4949 FAX: (503) 749-4950 BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325					DSA CLASSROOM 40x24	`	l I
CHECK OUT OUR WEB PAGE: www.mbs-modular.com © MODERN BUILDING SYSTEMS, INC. 2010 REUSE OF DOCUMENTS	1				CALIFORNIA	<u>⊢</u>	
THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.				Ī	FLOOR PLAN	SHEE	



08, 2010 — 8:19ar



CHECK OUT OUR WEB PAGE: www.mbs-modular.com
© MODERN BUILDING SYSTEMS, INC. 2010

REUSE OF DOCUMENTS

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.

REV.	BY:	DATE:	PER:	SHEETS:


24' x 40' MODULAR CLASSROOM

DSA CLASSROOM 40x24


CALIFORNIA

EXTERIOR ELEVATIONS





SIDE



<u>END</u>

EXTERIOR ELEVATIONS



MODERN BUILDING SYSTEMS, INC.

TELEPHONE: (503) 749-4949 FAX: (503) 749-4950 P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325 CHECK OUT OUR WEB PAGE: www.mbs-modular.com

REUSE OF DOCUMENTS

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.

REV. ■ BY: DATE: PER: SHEETS


24' x 40' MODULAR CLASSROOM

DSA CLASSROOM 40x24

CALIFORNIA

REFLECTED CEILING / ELECTRICAL PLAN

3



SYMBOL LEGEND

2' x 4' FLUORESCENT LAY-IN FIXTURE (3) TUBE 32W T8 W/ ELECT BALLAST

EXIT LIGHT w/ BATTERY BACK-UP

WALL MOUNTED LIGHT FIXTURE

PC = PHOTOCELL

WP = WEATHERPROOF

EMERGENCY LIGHT W/ BATTERY BACK-UP

DUPLEX RECEPTACLE AT 17" A.F.F. (U.N.O.)

GFI = GROUND FAULT INTERRUPTER

WP = IN USE WEATHERPROOF COVER WR = WATER RESISTANCE RECEPTACLE

SINGLE POLE SWITCH

DL = DAYLIGHT ZONE

OCC = OCCUPANCY SENSOR

THREE-WAY SWITCH

JUNCTION BOX

FIRE ALARM (RACEWAY ONLY)

VISUAL ALARM (RACEWAY ONLY) +82" TO CENTERLINE


THERMOSTAT AT 48" A.F.F. TO TOP OF CONTROLS

CLOCK RECEPTACLE (120V) +88"

Ф DISCONNECT

REFLECTED CEILING / ELECTRICAL PLAN

	REV.	BY:	DATE:	PER:	SHEETS:	24' x 40' MODULAR CLASSROOM		
MODERN BUILDING SYSTEMS, INC. TELEPHONE: (503) 749-4949 FAX: (503) 749-4950 P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325		_	_	-		DSA CLASSROOM 40x24	4	1
CHECK OUT OUR WEB PAGE: www.mbs-modular.com © MODERN BUILDING SYSTEMS, INC. 2010						CALIFORNIA	 	
REUSE OF DOCUMENTS THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.						BUILDING SECTION	SHEE	




BUILDING SECTION

Oct 08, 2010 - 8:20am

08,

	REV.	BY:	DATE:	PER:	SHEETS:	24' × 40' MODULAR CLASSROOM		_
	_		_	_				
MODERN BUILDING SYSTEMS, INC.						DSA CLASSROOM 40x24	\leftarrow	l
TELEPHONE: (503) 749-4949 FAX: (503) 749-4950 P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325						BS/ CE/(SSICEON TOXE)		
CHECK OUT OUR WEB PAGE: www.mbs-modular.com © MODERN BUILDING SYSTEMS. INC. 2010						CALIFORNIA	_	
REUSE OF DOCUMENTS					L		Щ	ı
THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.						FLOOR PLAN	SHEE	



FLOOR PLAN



P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325 CHECK OUT OUR WEB PAGE: www.mbs-modular.com
© MODERN BUILDING SYSTEMS, INC. 2010

REUSE OF DOCUMENTS

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.

REV.	ŧ	BY:	DATE:	PER:	SHEETS:


24' x 40' MODULAR CLASSROOM

DSA CLASSROOM 40x24


CALIFORNIA

EXTERIOR ELEVATIONS





SIDE



<u>END</u> EXTERIOR ELEVATIONS



TELEPHONE: (503) 749-4949 FAX: (503) 749-4950 P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325 CHECK OUT OUR WEB PAGE: www.mbs-modular.com MODERN BUILDING SYSTEMS, INC. 2010

REUSE OF DOCUMENTS

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.

REV. ■ BY: DATE: PER: SHEETS

24' x 40' MODULAR CLASSROOM

DSA CLASSROOM 40x24

CALIFORNIA

REFLECTED CEILING / ELECTRICAL PLAN

3

SYMBOL LEGEND

2' x 4' FLUORESCENT LAY-IN FIXTURE (3) TUBE 32W T8 W/ ELECT BALLAST

4' FLUORESCENT SURFACE MOUNTED FIXTURE (2) TUBE 32W T8 W/ ELECT BALLAST



EXIT LIGHT w/ BATTERY BACK-UP



WALL MOUNTED LIGHT FIXTURE PC = PHOTOCELL

WP = WEATHERPROOF EMERGENCY LIGHT W/ BATTERY BACK-UP



CEILING MOUNTED EXHAUST FAN (110 CFM)

DUPLEX RECEPTACLE AT 17" A.F.F. (U.N.O.)

GFI = GROUND FAULT INTERRUPTER

WP = IN USE WEATHERPROOF COVER

WR = WATER RESISTANCE RECEPTACLE

SINGLE POLE SWITCH

DL = DAYLIGHT ZONE

OCC = OCCUPANCY SENSOR

THREE-WAY SWITCH

JUNCTION BOX

FIRE ALARM (RACEWAY ONLY)


VISUAL ALARM (RACEWAY ONLY)

+82" TO CENTERLINE

THERMOSTAT AT 48" A.F.F. TO TOP OF CONTROLS


CLOCK RECEPTACLE (120V) +88"


Ф DISCONNECT



REFLECTED CEILING / ELECTRICAL PLAN

	REV. BY:	DATE:	PER:	SHEETS:	24' x 40' MODULAR CLASSROOM	
MODERN BUILDING SYSTEMS, INC. TELEPHONE: (503) 749–4949 FAX: (503) 749–4950	-	-	-		DSA CLASSROOM 40x24	4
P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97329 CHECK OUT OUR WEB PAGE: www.mbs-modular.com © MODERN BUILDING SYSTEMS. INC. 2010 REUSE OF DOCUMENTS	5				CALIFORNIA	
THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.				•	BUILDING SECTION	SHEE







 $\frac{1}{2}$, $\frac{1}{2}$, $\frac{1}{2}$

FLOOR PLAN

08,





MODERN BUILDING SYSTEMS, INC.
TELEPHONE: (503) 749-4949 FAX: (503) 749-4950 P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325

CHECK OUT OUR WEB PAGE: www.mbs-modular.com
© MODERN BUILDING SYSTEMS. INC. 2010

REUSE OF DOCUMENTS

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.


REV. ■ BY: SHEETS DATE: PER:

24' x 60' MOBILE CLASSROOM


HCD CLASSROOM 64x24

CALIFORNIA

EXTERIOR ELEVATIONS



SIDE



<u>END</u>

EXTERIOR ELEVATIONS



TELEPHONE: (503) 749-4949 FAX: (503) 749-4950 P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325 CHECK OUT OUR WEB PAGE: www.mbs-modular.com

REUSE OF DOCUMENTS

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.

MODERN BUILDING SYSTEMS, INC. 2010

REV. ■ BY: DATE: PER: SHEETS


24' x 60' MOBILE CLASSROOM

HCD CLASSROOM 64x24

CALIFORNIA

REFLECTED CEILING / ELECTRICAL PLAN





GFI = GROUND FAULT INTERRUPTER WP = IN USE WEATHERPROOF COVER

PC = PHOTOCELL WP = WEATHERPROOF

SINGLE POLE SWITCH DL = DAYLIGHT ZONE

SYMBOL LEGEND

OCC = OCCUPANCY SENSOR

WR = WATER RESISTANCE RECEPTACLE

THREE-WAY SWITCH

JUNCTION BOX

FIRE ALARM (RACEWAY ONLY)


VISUAL ALARM (RACEWAY ONLY) +82" TO CENTERLINE

THERMOSTAT AT 48" A.F.F. TO TOP OF CONTROLS

CLOCK RECEPTACLE (120V) +88"

DISCONNECT

REFLECTED CEILING / ELECTRICAL PLAN





08, 2010 – 8:33am

BUILDING SECTION

24'-0"

08,





MODERN BUILDING SYSTEMS, INC.
TELEPHONE: (503) 749-4949 FAX: (503) 749-4950 P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325 CHECK OUT OUR WEB PAGE: www.mbs-modular.com

© MODERN BUILDING SYSTEMS, INC. 2010

REUSE OF DOCUMENTS

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.


REV. ■ BY: SHEETS DATE: PER:

24' x 60' MOBILE CLASSROOM


HCD CLASSROOM 64x24

CALIFORNIA

EXTERIOR ELEVATIONS



SIDE



<u>END</u>

EXTERIOR ELEVATIONS



TELEPHONE: (503) 749-4949 FAX: (503) 749-4950 P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325 CHECK OUT OUR WEB PAGE: www.mbs-modular.com MODERN BUILDING SYSTEMS, INC. 2010

REUSE OF DOCUMENTS

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.

REV. ■ BY: DATE: PER: SHEETS


24' x 60' MOBILE CLASSROOM

HCD CLASSROOM 64x24

CALIFORNIA

REFLECTED CEILING / ELECTRICAL PLAN





SYMBOL LEGEND

2' x 4' FLUORESCENT LAY-IN FIXTURE (3) TUBE 32W T8 W/ ELECT BALLAST

EXIT LIGHT w/ BATTERY BACK-UP

WALL MOUNTED LIGHT FIXTURE

WP = WEATHERPROOF

EMERGENCY LIGHT W/ BATTERY BACK-UP

DUPLEX RECEPTACLE AT 17" A.F.F. (U.N.O.)

WP = IN USE WEATHERPROOF COVER

WR = WATER RESISTANCE RECEPTACLE

DL = DAYLIGHT ZONE

OCC = OCCUPANCY SENSOR

FIRE ALARM (RACEWAY ONLY)


+82" TO CENTERLINE


THERMOSTAT AT 48" A.F.F. TO TOP OF CONTROLS

CLOCK RECEPTACLE (120V) +88"


DISCONNECT


REFLECTED CEILING / ELECTRICAL PLAN







sb 22, 2012 – 2:43pm









⁻eb 22, 2012 — 2:44pn







eb 22, 2012 - 2:44p




eb 22, 2012 – 2:45pr




eb 22, 2012 — 2:45pı



7 2012 - 2.45pr






sb 22, 2012 – 2:45pm

08,

	REV.	BY:	DATE:	PER:	SHEETS:	28' x 32' MODULAR CLASSROOM			
		_	_	_					l
MODERN BUILDING SYSTEMS, INC.						CLASSROOM 28x32		-	l
TELEPHONE: (503) 749-4949 FAX: (503) 749-4950 P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE. OR 97325						0E/1331133111			
CHECK OUT OUR WEB PAGE: www.mbs-modular.com © MODERN BUILDING SYSTEMS. INC. 2010						NORTH WEST REGION		_	l
REUSE OF DOCUMENTS					L		!	<u>iu</u>	ı
THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.						FLOOR PLAN		SHEE	





P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325 CHECK OUT OUR WEB PAGE: www.mbs-modular.com
© MODERN BUILDING SYSTEMS, INC. 2010

REUSE OF DOCUMENTS

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.

REV.	ł	BY:	DATE:	PER:	SHEETS:


28' x 32' MODULAR CLASSROOM

CLASSROOM 28x32


NORTH WEST REGION

EXTERIOR ELEVATIONS





SIDE



END



TELEPHONE: (503) 749-4949 FAX: (503) 749-4950
P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325
CHECK OUT OUR WEB PAGE: www.mbs-modular.com

REUSE OF DOCUMENTS

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.

REV. BY: DATE: PER: SHEETS:

28' x 32' MODULAR CLASSROOM


CLASSROOM 28x32

NORTH WEST REGION

CEILING / ELECTRICAL PLAN

<u>⊤</u>

2



SYMBOL LEGEND

2' x 4' FLUORESCENT LAY-IN FIXTURE
(3) TUBE 32W T8 W/ ELECT BALLAST

₩ EXIT LIGHT W/ BATTERY BACK-UP

WALL MOUNTED LIGHT FIXTURE
PC = PHOTOCELL
WP = WEATHERPROOF

EMERGENCY LIGHT W/ BATTERY BACK-UP

WP = IN USE WEATHERPROOF COVER
WR = WATER RESISTANCE RECEPTACLE

\$ SINGLE POLE SWITCH
DL = DAYLIGHT ZONE

OCC = OCCUPANCY SENSOR

THREE-WAY SWITCH

JUNCTION BOX


FIRE ALARM (RACEWAY ONLY)


♦ VISUAL ALARM (RACEWAY ONLY)
+82" TO CENTERLINE

THERMOSTAT AT 48" A.F.F. TO TOP OF CONTROLS

CLOCK RECEPTACLE (120V) +88"

□ DISCONNECT





MODERN BUILDING SYSTEMS, INC.	
TELEPHONE: (503) 749-4949 FAX: (503) 749-45 P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR	

CHECK OUT OUR WEB PAGE: www.mbs-modular.com
© MODERN BUILDING SYSTEMS, INC. 2010

REUSE OF DOCUMENTS

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.


REV.	ł	BY:	D.	ATE:	PER:	SHEETS:


28' x 64' MODULAR CLASSROOM

CLASSROOM 28x64


NORTH WEST REGION

EXTERIOR ELEVATIONS





SIDE



 $\underline{\mathsf{END}}$



P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325 CHECK OUT OUR WEB PAGE: www.mbs-modular.com

© MODERN BUILDING SYSTEMS. INC. 2010

REUSE OF DOCUMENTS

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.


CEILING / ELECTRICAL PLAN


REV. BY: DATE: PER: SHEETS:


28' x 64' MODULAR CLASSROOM


CLASSROOM 28x64

NORTH WEST REGION











CHECK OUT OUR WEB PAGE: www.mbs-modular.com
© MODERN BUILDING SYSTEMS, INC. 2010

REUSE OF DOCUMENTS

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.

REV.	BY:	DATE:	PER:	SHEETS:


42' x 64' MODULAR CLASSROOM

CLASSROOM 42x64


NORTH WEST REGION

EXTERIOR ELEVATIONS





SIDE



 $\underline{\mathsf{END}}$



TELEPHONE: (503) 749-4949 FAX: (503) 749-4950 P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325 CHECK OUT OUR WEB PAGE: www.mbs-modular.com

REUSE OF DOCUMENTS

DATE:

PER:

SHEETS

REV. ■ BY:


42' x 64' MODULAR CLASSROOM


CLASSROOM 42x64


NORTH WEST REGION


CEILING / ELECTRICAL PLAN

2











P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325 CHECK OUT OUR WEB PAGE: www.mbs-modular.com
© MODERN BUILDING SYSTEMS, INC. 2010

REUSE OF DOCUMENTS

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.

REV.	BY:	DATE:	PER:	SHEETS:


28' x 64' MODULAR DAYCARE

DAYCARE 28x64


NORTH WEST REGION

EXTERIOR ELEVATIONS





SIDE



END



MODERN BUILDING SYSTEMS, INC.

TELEPHONE: (503) 749-4949 FAX: (503) 749-4950
P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325
CHECK OUT OUR WEB PAGE: www.mbs-modular.com

© MODERN BUILDING SYSTEMS. INC. 2010

REUSE OF DOCUMENTS

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.

REV. BY: DATE: PER: SHEETS:

28' x 64' MODULAR DAYCARE


DAYCARE 28x64


NORTH WEST REGION


CEILING / ELECTRICAL PLAN


SYMBOL LEGEND

2











CHECK OUT OUR WEB PAGE: www.mbs-modular.com
© MODERN BUILDING SYSTEMS, INC. 2010

REUSE OF DOCUMENTS

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.


REV. ■ BY: DATE: PER: SHEETS

42' x 64' MODULAR DAYCARE


DAYCARE 42x64

NORTH WEST REGION


EXTERIOR ELEVATIONS





SIDE





 $\underline{\mathsf{END}}$






























FLOOR PLAN


Feb 22, 2012 — 2:47pm


Feb 22, 2012 — 2:47pm


FLOOR PLAN

MODERN BUILDING SYSTEMS, INC. TELEPHONE: (503) 749–4949 FAX: (503) 749–4950 P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325 CHECK OUT OUR WEB PAGE: www.mbs-modular.com © MODERN BUILDING SYSTEMS. INC. 2012 REUSE OF DOCUMENTS THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY	REV.	BY: -	DATE: -	PER: -	SHEETS:	12' x 60' MOBILE OFFICE DRAWING ■060-5 - FLOOR PLAN	SHEET 1	
OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.						120011 127111	S	









SYMBOL LEGEND

WALL MOUNTED LIGHT FIXTURE PC = PHOTOCELL
WP = WEATHERPROOF

EXIT/ EMERGENCY LIGHT COMBO W/ BATTERY BACK-UP & REMOTE HEADS

SINGLE POLE SWITCH DL = DAYLIGHT ZONE
OCC = OCCUPANCY SENSOR

THREE-WAY SWITCH

DUPLEX RECEPTACLE AT 17" A.F.F. (U.N.O.) GFI - GROUND FAULT INTERRUPTER WP - IN USE WEATHERPROOF COVER WR - WATER RESISTANCE RECEPTACLE


JUNCTION BOX


FIRE ALARM (RACEWAY ONLY) VISUAL ALARM (RACEWAY ONLY) +82" TO CENTERLINE

THERMOSTAT AT 48" A.F.F. TO TOP OF CONTROLS


CLOCK RECEPTACLE (120V) +88"


Ф DISCONNECT







BUILDING SECTION









<u>FLOOR PLAN</u>







FLOOR PLAN


	REV.	BY:	DATE:	PER:	SHEETS:	14' x 64' MODULAR OFFICE	\prod	
MODERN BUILDING SYSTEMS, INC.		-	_	-		DRAWING ■S64-5	_	
TELEPHONE: (503) 749-4949 FAX: (503) 749-4950 P.O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325								ŀ
CHECK OUT OUR WEB PAGE: www.mbs-modular.com © MODERN BUILDING SYSTEMS, INC. 2012 REUSE OF DOCUMENTS	ł				L	-	<u>⊢</u> ∺	
THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.						FLOOR PLAN	SHEE	L



FLOOR PLAN







SYMBOL LEGEND

WALL MOUNTED LIGHT FIXTURE PC = PHOTOCELL
WP = WEATHERPROOF

EXIT/ EMERGENCY LIGHT COMBO W/ BATTERY BACK-UP & REMOTE HEADS

SINGLE POLE SWITCH DL = DAYLIGHT ZONE
OCC = OCCUPANCY SENSOR

THREE-WAY SWITCH

DUPLEX RECEPTACLE AT 17" A.F.F. (U.N.O.) GFI - GROUND FAULT INTERRUPTER WP - IN USE WEATHERPROOF COVER WR - WATER RESISTANCE RECEPTACLE


JUNCTION BOX


FIRE ALARM (RACEWAY ONLY) VISUAL ALARM (RACEWAY ONLY) +82" TO CENTERLINE

THERMOSTAT AT 48" A.F.F. TO TOP OF CONTROLS


CLOCK RECEPTACLE (120V) +88"


Ф DISCONNECT






BUILDING SECTION






<u>FLOOR PLAN</u>


22,






FLOOR PLAN


	REV.	BY:	DATE:	PER:	SHEETS:	14' x 70' MODULAR CLASSROOM		
			_	_				ĺ
MODERN BUILDING SYSTEMS, INC.		_				DRAWING #S70-5	—	İ
TELEPHONE: (503) 749-4949 FAX: (503) 749-4950 O. BOX 110 • 9493 PORTER ROAD • AUMSVILLE, OR 97325 CHECK OUT OUR WEB PAGE: www.mbs-modulgr.com								
© MODERN BUILDING SYSTEMS, INC, 2012 REUSE OF DOCUMENTS						-	⊢	
THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN IS THE PROPERTY OF MODERN BUILDING SYSTEMS, INC. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER USE OR PROJECT WITHOUT WRITTEN AUTHORIZATION.					1	FLOOR PLAN	SHEE	





FLOOR PLAN

Feb 22 2012 - 2:50nm











Keystone Purchasing Network C•5

5,758 EDUCATIONAL (E)

www.modulargenius.com


GENERAL CODE INFORMATION: THE MINIMUM AND MAXIMUM NUMBER OF WINDOWS AND DOORS SHALL BE LIMITED TO THE CODE REQUIREMENTS

- FOR EGRESS AND ENERGY CONSERVATION.

 REQUIRED PLUMBING FIXTURES ARE SUBJECT TO THE ADOPTED PLUMBING. CONSIDERATION TAKEN FOR EXISTING RESTROOMS ON SITE.
- \circ THE BUILDING SQUARE FOOTAGE SHALL BE LIMITED TO THE REQUIREMENTS OF THE ADOPTED BUILDING CODE. \circ THE BUILDING SHALL BE SET WITH A PERMANENT OR TEMPORARY FOUNDATION SYSTEM AND APPROVED BY THE
- LOCAL OFFICIAL HAVING JURISDICTION. \circ THE FINAL LAYOUT IS SUBJECT TO REVIEW FOR COMPLIANCE WITH THE BUILDING CODE ENFORCED IN THE AREA THE
- BUILDLING WILL BE LOCATED.

Α5

SHEET NO.







BUILDING TYPE: SQUARE FOOTAGE: BUILDING USE:

www.modulargenius.com

 $(888)420 \bullet 11113$

Keystone Purchasing Network O60•1 705 EACH BUISINESS (B)

GENERAL CODE INFORMATION:

- THE MINIMUM AND MAXIMUM NUMBER OF WINDOWS AND DOORS SHALL BE LIMITED TO THE CODE REQUIREMENTS
- FOR EGRESS AND ENERGY CONSERVATION.


 REQUIRED PLUMBING FIXTURES ARE SUBJECT TO THE ADOPTED PLUMBING. CONSIDERATION TAKEN FOR EXISTING RESTROOMS ON SITE.
- \circ THE BUILDING SQUARE FOOTAGE SHALL BE LIMITED TO THE REQUIREMENTS OF THE ADOPTED BUILDING CODE. \circ THE BUILDING SHALL BE SET WITH A PERMANENT OR TEMPORARY FOUNDATION SYSTEM AND APPROVED BY THE
- LOCAL OFFICIAL HAVING JURISDICTION. \circ THE FINAL LAYOUT IS SUBJECT TO REVIEW FOR COMPLIANCE WITH THE BUILDING CODE ENFORCED IN THE AREA THE BUILDLING WILL BE LOCATED.

A17

SHEET NO.

J OFFICE 133 SQ. FT. MANSARD VEST. WIRE SHELF,—/
W/COAT ROD, 72" AFF O60-1 BUILDING PLAN 3'-0" LEFT END 60'-0" 5'•0" VEST. 4x4 J•BOX w/ 3/4" EMT CONDUIT TO BELOW FF OR ABOVE SUSP. QUAD RECEPTACLE: OFFICE 133 SQ. FT. 12'-0"

11'-9"







PROJECT:

O60•2 705 EACH BUISINESS (B) Keystone Purchasing Network

GENERAL CODE INFORMATIO

Ż.

- THE MINIMUM AND MAXIMUM NUMBER OF FOR EGRESS AND ENERGY CONSERVATION. WINDOWS AND DOORS SHALL BE LIMITED TO THE CODE REQUIREMENTS
- \circ REQUIRED PLUMBING FIXTURES ARE SUBJECT TO THE ADOPTED PLUMBING. CONSIDERATION TAKEN FOR EXISTING RESTROOMS ON SITE.
- \circ THE BUILDING SQUARE FOOTAGE SHALL BE LIMITED TO THE REQUIREMENTS OF THE ADOPTED BUILDING CODE. \circ THE BUILDING SHALL BE SET WITH A PERMANENT OR TEMPORARY FOUNDATION SYSTEM AND APPROVED BY THE

A18


SHEET NO.

OFFICE 133 SQ. FT. MANSARD VEST. WIRE SHELF,—/
W/COAT ROD, 72" AFF 5'-0" 3'-0" BUILDING TYPE: SQUARE FOOTAGE: BUILDING USE: O60•2 BUILDING PLAN ROOM REST www.modulargenius.com $(888)420 \bullet 11113$ 60'-0" REST ROOM LOCAL OFFICIAL HAVING JURISDICTION. \circ THE FINAL LAYOUT IS SUBJECT TO REVIEW FOR COMPLIANCE WITH THE BUILDING CODE ENFORCED IN THE AREA THE JAN. BUILDLING WILL BE LOCATED. <u>I.T.</u> 4x4 J•BOX w/ 3/4" EMT CONDUIT TO BELOW FF OR ABOVE SUSP. CEILING— QUAD RECEPTACLE OFFICE 133 SQ. FT. 2'-0" □

11'-9"

₩ IJ

LEFT END







BUILDING TYPE: SQUARE FOOTAGE: BUILDING USE: PROJECT:

Keystone Purchasing Network O60•3 705 EACH BUISINESS (B)

GENERAL CODE INFORMATIO

 \circ THE MINIMUM AND MAXIMUM NUMBER OF WINDOWS AND DOORS SHALL BE LIMITED TO THE CODE REQUIREMENTS

 \dot{Z}

- FOR EGRESS AND ENERGY CONSERVATION.

 REQUIRED PLUMBING FIXTURES ARE SUBJECT TO THE ADOPTED PLUMBING. CONSIDERATION TAKEN FOR EXISTING RESTROOMS ON SITE.


- LOCAL OFFICIAL HAVING JURISDICTION. \circ THE FINAL LAYOUT IS SUBJECT TO REVIEW FOR COMPLIANCE WITH THE BUILDING CODE ENFORCED IN THE AREA THE \circ THE BUILDING SQUARE FOOTAGE SHALL BE LIMITED TO THE REQUIREMENTS OF THE ADOPTED BUILDING CODE. \circ THE BUILDING SHALL BE SET WITH A PERMANENT OR TEMPORARY FOUNDATION SYSTEM AND APPROVED BY THE

A19

SHEET NO.

www.modulargenius.com (888)420•1113 BUILDLING WILL BE LOCATED.

11'-9" **₩** IJ MANSARD VEST. WIRE SHELF,—
W/COAT ROD, 72" AFF O60•3 BUILDING PLAN 3'-0" LEFT END 60'-0" 5'0 VEST. 4x4 J•BOX w/ 3/4" EMT CONDUIT TO BELOW FF OR ABOVE SUSP. QUAD RECEPTACLE: # I



11'-9"





Keystone Purchasing Network O60•4, 5 705 EACH BUISINESS (B)

GENERAL CODE INFORMATION:

- THE MINIMUM AND MAXIMUM NUMBER OF WINDOWS AND DOORS SHALL BE LIMITED TO THE CODE REQUIREMENTS
- FOR EGRESS AND ENERGY CONSERVATION.

 REQUIRED PLUMBING FIXTURES ARE SUBJECT TO THE ADOPTED PLUMBING. CONSIDERATION TAKEN FOR EXISTING RESTROOMS ON SITE.
- LOCAL OFFICIAL HAVING JURISDICTION. \circ THE FINAL LAYOUT IS SUBJECT TO REVIEW FOR COMPLIANCE WITH THE BUILDING CODE ENFORCED IN THE AREA THE \circ THE BUILDING SQUARE FOOTAGE SHALL BE LIMITED TO THE REQUIREMENTS OF THE ADOPTED BUILDING CODE. \circ THE BUILDING SHALL BE SET WITH A PERMANENT OR TEMPORARY FOUNDATION SYSTEM AND APPROVED BY THE

A20

SHEET NO.

www.modulargenius.com $(888)420 \bullet 1113$ BUILDLING WILL BE LOCATED.

11'-9" 11'-9" **#** J **₩** IJ 133 SQ. FT. MANSARD MANSARD OFFICE 12'-0" O60•4 BUILDING PLAN O60-5 BUILDING PLAN CENTER OPTIONAL WALLS 4x4 J-BOX w/3/4" EMT CONDUIT TO BELOW FF OR ABOVE SUSP. 4x4 J•BOX w/ 3/4" EMT CONDUIT TO BELOW FF OR ABOVE SUSP. CEILING-CEILING-QUAD RECEPTACLE QUAD RECEPTACLE OFFICE 133 SQ. FT. 2'-0" # J \oplus ф





BUILDING TYPE: SQUARE FOOTAGE: BUILDING USE:

www.modulargenius.com

 $(888)420 \bullet 11113$

BUILDLING WILL BE LOCATED.

1,410 BUISINESS (B) Keystone Purchasing Network

GENERAL CODE INFORMATION:


- THE MINIMUM AND MAXIMUM NUMBER OF WINDOWS AND DOORS SHALL BE LIMITED TO THE CODE REQUIREMENTS
- FOR EGRESS AND ENERGY CONSERVATION.

 REQUIRED PLUMBING FIXTURES ARE SUBJECT TO THE ADOPTED PLUMBING. CONSIDERATION TAKEN FOR EXISTING RESTROOMS ON SITE.
- \circ THE BUILDING SQUARE FOOTAGE SHALL BE LIMITED TO THE REQUIREMENTS OF THE ADOPTED BUILDING CODE. \circ THE BUILDING SHALL BE SET WITH A PERMANENT OR TEMPORARY FOUNDATION SYSTEM AND APPROVED BY THE

LOCAL OFFICIAL HAVING JURISDICTION. \circ THE FINAL LAYOUT IS SUBJECT TO REVIEW FOR COMPLIANCE WITH THE BUILDING CODE ENFORCED IN THE AREA THE

SHEET NO.

A14







BUILDING TYPE: SQUARE FOOTAGE: BUILDING USE:

1,410 BUISINESS (B) Keystone Purchasing Network

GENERAL CODE INFORMATIO

Ż

- \circ THE MINIMUM AND MAXIMUM NUMBER OF WINDOWS AND DOORS SHALL BE LIMITED TO THE CODE REQUIREMENTS
- FOR EGRESS AND ENERGY CONSERVATION.

 REQUIRED PLUMBING FIXTURES ARE SUBJECT TO THE ADOPTED PLUMBING. CONSIDERATION TAKEN FOR EXISTING RESTROOMS ON SITE.
- \circ THE BUILDING SQUARE FOOTAGE SHALL BE LIMITED TO THE REQUIREMENTS OF THE ADOPTED BUILDING CODE. \circ THE BUILDING SHALL BE SET WITH A PERMANENT OR TEMPORARY FOUNDATION SYSTEM AND APPROVED BY THE

LOCAL OFFICIAL HAVING JURISDICTION. \circ THE FINAL LAYOUT IS SUBJECT TO REVIEW FOR COMPLIANCE WITH THE BUILDING CODE ENFORCED IN THE AREA THE

A15

SHEET NO.

BUILDLING WILL BE LOCATED.

www.modulargenius.com (888)420•11113

23'-6" ♣ OFFICE 274 SQ. FT. 12'-0" 5<u>'</u>0 3'-0" -WIRE SHELF, W/COAT ROD, 72" AFF 0•2 BUILDING PLAN OPEN OFFICE 636 SQ. FT. REST ROOM JAN. 3'-0" 5'-0" <u>I.T.</u> CEILING- $4x4 \text{ J} \cdot \text{BOX w} / 3/4$ " EMT CONDUIT TO BELOW FF OR ABOVE SUSP. QUAD RECEPTACLE OFFICE 274 SQ. FT. OFFICE 133 SQ. FT. ģ





BUILDING TYPE: SQUARE FOOTAGE: BUILDING USE:

www.modulargenius.com

 $(888)420 \bullet 1113$

1,410 BUISINESS (B)

Keystone Purchasing Network O•3

GENERAL CODE INFORMATIO \dot{Z}


- \circ THE MINIMUM AND MAXIMUM NUMBER OF WINDOWS AND DOORS SHALL BE LIMITED TO THE CODE REQUIREMENTS
- FOR EGRESS AND ENERGY CONSERVATION.

 REQUIRED PLUMBING FIXTURES ARE SUBJECT TO THE ADOPTED PLUMBING. CONSIDERATION TAKEN FOR EXISTING RESTROOMS ON SITE.
- \circ THE BUILDING SQUARE FOOTAGE SHALL BE LIMITED TO THE REQUIREMENTS OF THE ADOPTED BUILDING CODE. \circ THE BUILDING SHALL BE SET WITH A PERMANENT OR TEMPORARY FOUNDATION SYSTEM AND APPROVED BY THE

LOCAL OFFICIAL HAVING JURISDICTION. \circ THE FINAL LAYOUT IS SUBJECT TO REVIEW FOR COMPLIANCE WITH THE BUILDING CODE ENFORCED IN THE AREA THE BUILDLING WILL BE LOCATED.

SHEET NO.

A16







BUILDING TYPE: SQUARE FOOTAGE: BUILDING USE:

www.modulargenius.com

 $(888)420 \bullet 11113$

Keystone Purchasing Network O60•1 705 EACH BUISINESS (B)

GENERAL CODE INFORMATION:

- THE MINIMUM AND MAXIMUM NUMBER OF WINDOWS AND DOORS SHALL BE LIMITED TO THE CODE REQUIREMENTS
- FOR EGRESS AND ENERGY CONSERVATION.


 REQUIRED PLUMBING FIXTURES ARE SUBJECT TO THE ADOPTED PLUMBING. CONSIDERATION TAKEN FOR EXISTING RESTROOMS ON SITE.
- \circ THE BUILDING SQUARE FOOTAGE SHALL BE LIMITED TO THE REQUIREMENTS OF THE ADOPTED BUILDING CODE. \circ THE BUILDING SHALL BE SET WITH A PERMANENT OR TEMPORARY FOUNDATION SYSTEM AND APPROVED BY THE
- LOCAL OFFICIAL HAVING JURISDICTION. \circ THE FINAL LAYOUT IS SUBJECT TO REVIEW FOR COMPLIANCE WITH THE BUILDING CODE ENFORCED IN THE AREA THE BUILDLING WILL BE LOCATED.

A17

SHEET NO.

J OFFICE 133 SQ. FT. MANSARD VEST. WIRE SHELF,—/
W/COAT ROD, 72" AFF O60-1 BUILDING PLAN 3'-0" LEFT END 60'-0" 5'•0" VEST. 4x4 J•BOX w/ 3/4" EMT CONDUIT TO BELOW FF OR ABOVE SUSP. QUAD RECEPTACLE: OFFICE 133 SQ. FT. 12'-0"

11'-9"







PROJECT:

O60•2 705 EACH BUISINESS (B) Keystone Purchasing Network

GENERAL CODE INFORMATIO

Ż.

- THE MINIMUM AND MAXIMUM NUMBER OF FOR EGRESS AND ENERGY CONSERVATION. WINDOWS AND DOORS SHALL BE LIMITED TO THE CODE REQUIREMENTS
- \circ REQUIRED PLUMBING FIXTURES ARE SUBJECT TO THE ADOPTED PLUMBING. CONSIDERATION TAKEN FOR EXISTING RESTROOMS ON SITE.
- \circ THE BUILDING SQUARE FOOTAGE SHALL BE LIMITED TO THE REQUIREMENTS OF THE ADOPTED BUILDING CODE. \circ THE BUILDING SHALL BE SET WITH A PERMANENT OR TEMPORARY FOUNDATION SYSTEM AND APPROVED BY THE

A18


SHEET NO.

OFFICE 133 SQ. FT. MANSARD VEST. WIRE SHELF,—/
W/COAT ROD, 72" AFF 5'-0" 3'-0" BUILDING TYPE: SQUARE FOOTAGE: BUILDING USE: O60•2 BUILDING PLAN ROOM REST www.modulargenius.com $(888)420 \bullet 11113$ 60'-0" REST ROOM LOCAL OFFICIAL HAVING JURISDICTION. \circ THE FINAL LAYOUT IS SUBJECT TO REVIEW FOR COMPLIANCE WITH THE BUILDING CODE ENFORCED IN THE AREA THE JAN. BUILDLING WILL BE LOCATED. <u>I.T.</u> 4x4 J•BOX w/ 3/4" EMT CONDUIT TO BELOW FF OR ABOVE SUSP. CEILING— QUAD RECEPTACLE OFFICE 133 SQ. FT. 2'-0" □

11'-9"

₩ IJ

LEFT END







BUILDING TYPE: SQUARE FOOTAGE: BUILDING USE: PROJECT:

Keystone Purchasing Network O60•3 705 EACH BUISINESS (B)

GENERAL CODE INFORMATIO

 \circ THE MINIMUM AND MAXIMUM NUMBER OF WINDOWS AND DOORS SHALL BE LIMITED TO THE CODE REQUIREMENTS

 \dot{Z}

- FOR EGRESS AND ENERGY CONSERVATION.

 REQUIRED PLUMBING FIXTURES ARE SUBJECT TO THE ADOPTED PLUMBING. CONSIDERATION TAKEN FOR EXISTING RESTROOMS ON SITE.


- LOCAL OFFICIAL HAVING JURISDICTION. \circ THE FINAL LAYOUT IS SUBJECT TO REVIEW FOR COMPLIANCE WITH THE BUILDING CODE ENFORCED IN THE AREA THE \circ THE BUILDING SQUARE FOOTAGE SHALL BE LIMITED TO THE REQUIREMENTS OF THE ADOPTED BUILDING CODE. \circ THE BUILDING SHALL BE SET WITH A PERMANENT OR TEMPORARY FOUNDATION SYSTEM AND APPROVED BY THE

A19

SHEET NO.

www.modulargenius.com (888)420•1113 BUILDLING WILL BE LOCATED.

11'-9" **₩** IJ MANSARD VEST. WIRE SHELF,—
W/COAT ROD, 72" AFF O60•3 BUILDING PLAN 3'-0" LEFT END 60'-0" 5'0 VEST. 4x4 J•BOX w/ 3/4" EMT CONDUIT TO BELOW FF OR ABOVE SUSP. QUAD RECEPTACLE: # I



11'-9"





Keystone Purchasing Network O60•4, 5 705 EACH BUISINESS (B)

GENERAL CODE INFORMATION:

- THE MINIMUM AND MAXIMUM NUMBER OF WINDOWS AND DOORS SHALL BE LIMITED TO THE CODE REQUIREMENTS
- FOR EGRESS AND ENERGY CONSERVATION.

 REQUIRED PLUMBING FIXTURES ARE SUBJECT TO THE ADOPTED PLUMBING. CONSIDERATION TAKEN FOR EXISTING RESTROOMS ON SITE.
- LOCAL OFFICIAL HAVING JURISDICTION. \circ THE FINAL LAYOUT IS SUBJECT TO REVIEW FOR COMPLIANCE WITH THE BUILDING CODE ENFORCED IN THE AREA THE \circ THE BUILDING SQUARE FOOTAGE SHALL BE LIMITED TO THE REQUIREMENTS OF THE ADOPTED BUILDING CODE. \circ THE BUILDING SHALL BE SET WITH A PERMANENT OR TEMPORARY FOUNDATION SYSTEM AND APPROVED BY THE


A20


SHEET NO.

www.modulargenius.com $(888)420 \bullet 1113$ BUILDLING WILL BE LOCATED.

11'-9" 11'-9" **#** J **₩** IJ 133 SQ. FT. MANSARD MANSARD OFFICE 12'-0" O60•4 BUILDING PLAN O60-5 BUILDING PLAN CENTER OPTIONAL WALLS 4x4 J-BOX w/3/4" EMT CONDUIT TO BELOW FF OR ABOVE SUSP. 4x4 J•BOX w/ 3/4" EMT CONDUIT TO BELOW FF OR ABOVE SUSP. CEILING-CEILING-QUAD RECEPTACLE QUAD RECEPTACLE OFFICE 133 SQ. FT. 2'-0" # J \oplus ф









BUILDING TYPE: SQUARE FOOTAGE: BUILDING USE:

www.modulargenius.com $(888)420 \bullet 1113$

Keystone Purchasing Network S64•3, 4 880 EACH EDUCATIONAL (E)

GENERAL CODE INFORMATIO

 \dot{Z}


- \circ THE MINIMUM AND MAXIMUM NUMBER OF WINDOWS AND DOORS SHALL BE LIMITED TO THE CODE REQUIREMENTS

- FOR EGRESS AND ENERGY CONSERVATION.

 REQUIRED PLUMBING FIXTURES ARE SUBJECT TO THE ADOPTED PLUMBING. CONSIDERATION TAKEN FOR EXISTING RESTROOMS ON SITE.

 THE BUILDING SQUARE FOOTAGE SHALL BE LIMITED TO THE REQUIREMENTS OF THE ADOPTED BUILDING CODE.


 THE BUILDING SHALL BE SET WITH A PERMANENT OR TEMPORARY FOUNDATION SYSTEM AND APPROVED BY THE LOCAL OFFICIAL HAVING JURISDICTION. BUILDLING WILL BE LOCATED.



OFFICE 115 SQ. FT.

<u>I.T.</u>

ROOM









GENERAL BUILDILING INFORMATION: PROJECT:

BUILDING TYPE: SQUARE FOOTAGE: BUILDING USE: 880 BUISINESS (B) S64•5

Keystone Purchasing Network

GENERAL CODE INFORMATIO

Ż

- THE MINIMUM AND MAXIMUM NUMBER OF WINDOWS AND DOORS SHALL BE LIMITED TO THE CODE REQUIREMENTS
- FOR EGRESS AND ENERGY CONSERVATION.


 REQUIRED PLUMBING FIXTURES ARE SUBJECT TO THE ADOPTED PLUMBING. CONSIDERATION TAKEN FOR EXISTING RESTROOMS ON SITE.
- \circ THE BUILDING SQUARE FOOTAGE SHALL BE LIMITED TO THE REQUIREMENTS OF THE ADOPTED BUILDING CODE. \circ THE BUILDING SHALL BE SET WITH A PERMANENT OR TEMPORARY FOUNDATION SYSTEM AND APPROVED BY THE

LOCAL OFFICIAL HAVING JURISDICTION. \circ THE FINAL LAYOUT IS SUBJECT TO REVIEW FOR COMPLIANCE WITH THE BUILDING CODE ENFORCED IN THE AREA THE


www.modulargenius.com (888)420•1113


BUILDLING WILL BE LOCATED.

A9 SHEET NO.











BUILDING TYPE: SQUARE FOOTAGE: BUILDING USE:

Keystone Purchasing Network S70•3, 4 963 EACH EDUCATIONAL (E)

www.modulargenius.com (888)420•11113


GENERAL CODE INFORMATIO

Ż.

- THE MINIMUM AND MAXIMUM NUMBER OF WINDOWS AND DOORS SHALL BE LIMITED TO THE CODE REQUIREMENTS
- FOR EGRESS AND ENERGY CONSERVATION.

 REQUIRED PLUMBING FIXTURES ARE SUBJECT TO THE ADOPTED PLUMBING. CONSIDERATION TAKEN FOR EXISTING RESTROOMS ON SITE.
- \circ THE BUILDING SQUARE FOOTAGE SHALL BE LIMITED TO THE REQUIREMENTS OF THE ADOPTED BUILDING CODE. \circ THE BUILDING SHALL BE SET WITH A PERMANENT OR TEMPORARY FOUNDATION SYSTEM AND APPROVED BY THE
- LOCAL OFFICIAL HAVING JURISDICTION.

 THE FINAL LAYOUT IS SUBJECT TO REVIEW FOR COMPLIANCE WITH THE BUILDING CODE ENFORCED IN THE AREA THE BUILDLING WILL BE LOCATED.







BUILDING TYPE: SQUARE FOOTAGE: BUILDING USE: PROJECT:

www.modulargenius.com $(888)420 \bullet 1113$

BUILDLING WILL BE LOCATED.

963 BUISINESS (B) Keystone Purchasing Network S70•5

GENERAL CODE INFORMATIO

Ż

- \circ THE MINIMUM AND MAXIMUM NUMBER OF WINDOWS AND DOORS SHALL BE LIMITED TO THE CODE REQUIREMENTS

- FOR EGRESS AND ENERGY CONSERVATION.

 REQUIRED PLUMBING FIXTURES ARE SUBJECT TO THE ADOPTED PLUMBING. CONSIDERATION TAKEN FOR EXISTING RESTROOMS ON SITE.

 THE BUILDING SQUARE FOOTAGE SHALL BE LIMITED TO THE REQUIREMENTS OF THE ADOPTED BUILDING CODE.

 THE BUILDING SQUARE FOOTAGE SHALL BE LIMITED TO THE MEDICAL SYSTEM AND APPROVED BY THE LOCAL OFFICIAL HAVING JURISDICTION. \circ THE FINAL LAYOUT IS SUBJECT TO REVIEW FOR COMPLIANCE WITH THE BUILDING CODE ENFORCED IN THE AREA THE

SHEET NO.

A13

13'-9" CEILING 5'•0" 4x4 J•BOX w/ 3/4" EMT CONDUIT TO BELOW FF OR ABOVE SUSP. QUAD RECEPTACLE-3'-0" WIRE SHELF, W/COAT ROD, 72" AFF 28'-9" OFFICE 356 SQ. FT. S70-5 BUILDING PLAN CENTER 10'-0" 70'-0" OFFICE 356 SQ. FT. 28'-9" _ 3'-0" MANSARD-5'-0"

